


nifty 170SD

The Nifty **170SD** combines the best of our self-propelled and trailer mounted ranges. It offers the same staggering reach capabilities as the **Nifty 170** but with the versatility of a robust yet very lightweight drivable base. This allows the operator to manoeuvre, set up and operate this machine without leaving the platform, especially on uneven surfaces.

SAFETY FEATURES

- Pressure sensitive outriggers with
- Audible & visual alarms
- Dual controls (platform & base)
- Manual descent with hand-pump
- Lock valves on all hydraulic cylinders
- CE Mark




The **170SD's** outstanding reach makes it ideal for construction site work.

Also available trailer mounted. See **Nifty 170** specification sheet.



Rough terrain tyres as standard and the 4WD option allow the **170SD** to manoeuvre easily over a wide range of site conditions.



SPECIFICATIONS

Working Height	17.10m	56ft 1in
Platform Height	15.10m	49ft 6in
Working Outreach	8.70m	26ft 6in
Slew	360°	
Width - Travelling	1.60m	5ft 3in
- Working	4.40m	14ft 4in
Height	2.10m	6ft 11in
Length	5.60m	18ft 4in
Minimum Weight	2750kg*	6000lbs*
Turning Radius - Inside	2.25m	7ft 5in
- Outside	5.20m	17ft
Platform Rotation	100°	
Platform Capacity	200kg	440lbs
Platform Size	1.10m x 0.65m	3ft 7in x 2ft 2in
Drive Speed	5.0kph	3.0mph
Gradeability	25% (2x4)	30% (4x4)
Control System	Fully Proportional Hydraulic	
Power Options	Battery Only Petrol or Diesel Only Bi-Energy (Engine and Battery)	

*Weights may vary according to specification / power options, please confirm before ordering.

Due to a policy of continuing development and improvement, Niftylift reserves the right to change any specification without notice. Please confirm exact specification before ordering.

Supplied by:

**Manufacturers of trailer mounted,
self propelled and vehicle mounted platforms.**

NIFTYLIFT LTD
Fingle Drive
Stonebridge
Milton Keynes
MK13 0ER
England

www.niftylift.com
e-mail: info@niftylift.com
Tel.: +44 (0)1908 223456
Fax: +44 (0)1908 312733

